

CERTIFICATE OF ANALYSIS



Customer: Exhale Wellness
6430 W Sunset Blvd,
Los Angeles, CA 90028

Batch #: 0416241
Laboratory Number: ATL-20680

Report Issue Date: 4/25/2024
Order Date: 4/22/2024
Analysis Date: 4/24/2024

Sample Description:
D8 THCP Vape - OG Kush

Unit Weight: 2g / Disposable



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1703.300	85.165
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/disposable	%
	N/D	N/D
Max Active CBD	mg/disposable	%
	N/D	N/D

Total Active Cannabinoids	mg/disposable	%
	1703.30	85.17
Total Cannabinoids	mg/disposable	%
	1703.30	85.17

NOTES

Cannabidiol (CBD) Cannabidiolol (CBDOL) Cannabidiololol (CBDOLOL) Cannabidiolololol (CBDOLLOL) Cannabidiololololol (CBDOLLLOL)
Cannabidivarin (CBDVA) Cannabidivarinol (CBDV) Cannabidivarinolol (CBDVLOL) Cannabidivarinololol (CBDVLOLOL)
Tetrahydrocannabinol (THC) Tetrahydrocannabinolol (THCLOL) Tetrahydrocannabinololol (THCLOLOL) Tetrahydrocannabinolololol (THCLOLLOL)
9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) Cannabichromene (CBC) Cannabichromenol (CBCOL)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

