CERTIFICATE OF ANALYSIS



Exhale Wellness Customer: 6430 W Sunset Blvd Los Angeles, CA 90028

Batch #: 0430241

Laboratory Number: ATL-20971

Report Issue Date: 5/9/2024

Order Date: 5/3/2024

Analysis Date: 5/8/2024

Extraction Technician: LL Sample Description:

Unit Weight: 1g / Disposable

D8 Vape - blackberry kush



Analytical Chemist: LL

Kim Dang

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/disposable	%		Analyte	LOQ (mg/g)	Results mg/disposable	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D	4	D9-THC	<0.014	N/D	N/D
CBG	<0.007	N/D	N/D		D8-ТНС	<0.005	840.730	84.073
CBD	<0.008	8.810	0.881		9S-D10-TH	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D		9R-D10-TH0	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/disposable	%
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/disposable N/D	% N/D	Total Active Cannabinoids	mg/disposable 849.54	% 84.95
Max Active CBD	mg/disposable	% 0.88	Total Cannabinoids	mg/disposable 849.54	% 84.95

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Defta-9- Tetrahydrocannabinol(D9-THC) Defta-8- Tetrahydrocannabinol(D8-THC)

9S-Defta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Defta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

